



The Development of Endurance Through Prolonged Running and Its Effect on the Attention of 9-10-Year-Olds

Georgiy Georgievich Polevoy^{1,2*}

¹Department of Physical Education, Moscow Polytechnic University, Moscow, Russia.

²Department of Physical Education, Vyatka State University, Kirov, Russia.

ABSTRACT

The aim is to assess the impact of prolonged running on the endurance and attention indicators of children aged 9-10 years in physical education classes at school. The pedagogical experiment was conducted for 4 months based on the secondary general educational school 60 (Kirov, Russia), 120 schoolchildren from the third grade took part in it. 34 physical education lessons were held in each class. Schoolchildren from the control group were engaged in a standard physical education program for younger schoolchildren. The children from the experimental group also worked within the framework of the usual program, but during each lesson, they performed a long run of 6 minutes. Overall endurance was assessed using the K Cooper (6 minutes) test and the attention of schoolchildren was assessed by the "Schulte Tables" test. Both tests were performed before and after the pedagogical experiment.

Prior to the study, there were no significant differences between classes in both tests ($p > 0.05$). After the end of the study, the performance of children in the control group improved in the endurance test by 6.8% and 7.2% ($p > 0.05$), and in the experimental group improved by 24.9% and 18.9% ($p < 0.05$). In the attention test, the indicators of the control group increased by 10.1% and 8.6% ($p > 0.05$), and in the experimental group by 25.2% and 31.2% ($p < 0.05$). Long-running can be introduced into the physical education program at school to improve the endurance and attention of schoolchildren aged 9-10 years.

Keywords: Health, Physical culture, Aerobic abilities, Physical qualities, Psychodiagnostics, School curriculum.

HOW TO CITE THIS ARTICLE: Polevoy GG. The Development of Endurance Through Prolonged Running and Its Effect on the Attention of 9-10-Year-Olds. *Entomol Appl Sci Lett.* 2023;10(1):65-75. <https://doi.org/10.51847/2GXBecgNwL>

Corresponding author: Georgiy Georgievich Polevoy

E-mail ✉ g.g.polevoy@gmail.com

Received: 16/10/2022

Accepted: 20/02/2023

INTRODUCTION

The problem of human health, and in particular, the student, is relevant and in demand, and the activities for its preservation, conservation, and development are in the field of view of scientists of various scientific fields [1-3].

The priority of preserving and developing human health at school age is determined by the relevance of this problem:

- at the level of society and the state, where human health is recognized as an important component of the social, cultural, and economic development of the country, the strategic potential of national security, stability and well-being of society, the basis

of cultural and civilizational development of the entire world community;

- at the level of the person himself who needs full-fledged health for life and professional activity, for self-realization and self-development, for happiness;
- at the level of the pedagogical community, which develops and implements psychological and pedagogical ways to preserve and develop the health of schoolchildren and youth during their formation and formation as individuals and individuals:
- at the value level in the life of both the individual and society, when health is

recognized as the most important value along with other significant values [4, 5].

One of the main problems of health and physical development of younger schoolchildren is physical inactivity, which means "inactivity" in Latin. This concept implies a restriction of motor activity resulting from a sedentary lifestyle. Today, physical inactivity is considered a social disease, along with addiction to gadgets, computer games, etc. This problem has not been spared by children's age. Younger students sit a lot and for a long time. At school for at least 4 hours or more, and then at home for the same amount (children do their homework, play computer games, watch TV, etc.). Younger schoolchildren are less likely to attend music, language, art schools, and very rarely sports. Low level of physical education and sports [6-8]. Without work, the muscles weaken, then atrophy. Strength and endurance decrease, vegetative-vascular dystonia, depression, and other disorders of the nervous system appear, academic performance decreases, and metabolism is disrupted [9]. Inactivity also leads to functional changes in the cardiovascular and respiratory systems, as the muscles that help the movement of blood through the vessels do not work. Lack of blood flow to the brain, and poor outflow through the vessels of the neck lead to changes in intracranial pressure. This causes headaches, fatigue, fatigue, there may be complaints of palpitations, and shortness of breath during physical exertion. Respiratory and digestive disorders occur, and the joints and spine suffer. A prolonged stay in a monotonous position at the table at school and home, or an uncomfortable lying position with a gadget in your hands, can cause a violation of posture, stooping, or spinal deformity. Immunity decreases, vision decreases, overweight, and obesity appears. As a result, blood pressure rises, and diabetes mellitus, heart, and kidney diseases appear [10, 11].

The leading means to overcome such a disease as physical inactivity is the performance of physical exercises of different natures and different orientations. Of course, at this age, it is quite difficult for a child to force himself to perform a certain set of exercises or follow the rules of certain techniques. The solution to this problem is a physical education lesson at school. The main

purpose of physical education lessons is the development of motor activity and various physical qualities in children, teaching schoolchildren the basics of a healthy lifestyle, as well as introducing students to independent sports and physical exercises. Physical education at school forms a system of value orientations of a person to a healthy lifestyle and provides motivational, functional, and motor readiness for it. It is carried out in accordance with the general and specific laws, principles, and rules of the pedagogical process [12-14]. The improvement of the physique and the harmonious development of human physiological functions are solved based on comprehensive education of physical qualities and motor abilities, which ultimately leads to a naturally normal, undistorted formation of bodily forms. This task provides for the education of correct posture, proportional development of muscle mass, all parts of the body, assistance in maintaining optimal weight through physical exercises and ensuring bodily beauty [15-17].

The education of physical qualities at school age is provided by the selection of physical exercises and the methodology of the lesson. The most important requirements for the methodology of the development of physical qualities during the age formation of the organism are the comprehensiveness of the impact, the proportionality of the loads and the functionality of the capabilities of the growing organism, the correspondence of the influencing factors with the peculiarities of the stages of age development [18, 19]. Recent studies have shown that only 50% of elementary school students are completely healthy. By the sixth grade, the number of healthy schoolchildren is halved, and by the eleventh grade, only 5% of schoolchildren can boast of having no health problems. The authors are sure that such a catastrophic decline in the indicators of healthy children is directly related to the lack of sports in children's lives. Moreover, to change the situation, it is necessary, at least, to pay special attention to physical education lessons at school [20, 21].

One of the basic physical qualities that need to be developed throughout life is general endurance. General endurance (aerobic capacity) is the ability of the body to perform various activities for a long time and resist fatigue. The effectiveness of the body's activity is reduced by

two main factors – physical and nervous fatigue. There are two types of endurance: emotional and physical. The first one allows a person to calmly, serenely, and calmly endure severe debilitating emotional conditions, the physical one helps the body spend less energy by performing certain actions and quickly regenerate its reserves. In addition, endurance directly depends on the level of metabolic processes, on the degree of development of the cardiovascular, nervous, and respiratory systems, as well as on the coordination of the activities of various organs and systems [22-24].

General endurance is characterized by the health of all human organs. The best means for acquiring general endurance is long-term training work of a cyclical nature (running, swimming) with relatively low intensity. At first, it is best to stick to a uniform pace of exercise, since changing it during work will not allow you to perform it for a long time. General endurance, determining the overall performance of the athlete and the level of his health, at the same time, serves as the basis for the development of special endurance. The higher the level of general endurance, the better you can develop special endurance. It is known that a high level of endurance development in childhood provides more effective improvement of other motor abilities, contributes to the improvement of plastic and trophic functions of the body, normalizes the activity of the circulatory and respiratory systems, and improves the functioning of the central nervous system. At the same time, the practice of physical education of schoolchildren indicates that the overall dynamics of endurance of children and adolescents in recent years has not only not improved, but also tends to decrease [25-27].

General endurance is sensitive to training influences and is a person's ability to perform long-term and effective work of a non-specific nature. Much attention is paid to the issue of sensitive periods of development of various physical qualities. Exposure to certain physical qualities during such a period gives a significant effect on the development of this ability. As for the overall endurance, the author's opinion is not significant here, but they differ. For example, most authors believe that the first peak for the development of endurance is the age of 9-10 years in both boys and girls. However, after the

age of 13, this period is different, in boys, the sensitive period for the development of aerobic capabilities is the age from 15 to 17 years, and in girls, it is from 13 to 15 years. Thus, it is important not to miss the first sensitive period for the development of general endurance for both boys and girls, aerobic abilities should be purposefully developed at the age of 9-10, which corresponds to the 3rd grade of education in a comprehensive school [28, 29].

The process of regular purposeful physical education or sports training involves the education and development of not only certain skills, abilities, and physical qualities, but also mental processes, traits, and properties of a person's personality. A person engaged in physical culture develops the ability to show the stability of attention, perception, memory, concentration, and switching in conditions of time deficit, mental fatigue, nervous and emotional tension, and stress. Physical culture is used to optimize performance, and prevent neuropsychiatric and psychophysical fatigue. Physical education classes have a direct impact on the development of the intellectual qualities of students. In the course of classes, motor cognitive situations continuously arise, the solution of which requires significant mental stress. A simple solution to a motor problem: how to move correctly, quickly, and accurately, how to correct a mistake – is a chain of mental operations, including observation, generalization, and decision-making. According to the authors, physical exercises not only increase the functional capabilities of the body, and the level of physical fitness of a person, but also help in the development of mental personality traits [30, 31].

The hypothesis of the study is the assumption that the integration of prolonged running into the process of physical education at school in children aged 9-10 years will have a positive impact on the level of endurance development and a positive impact on the attention indicators of schoolchildren. Thus, we assumed that comparing between groups and adding long-running to the regular physical education program at school for children aged 9-10 years would further improve their physical and mental development.

The study aims to assess the impact of prolonged running on the endurance and attention

indicators of children aged 9-10 years in physical education classes at school.

MATERIALS AND METHODS

Study participants

The present study involved children from the third grade of secondary school number sixty in the city of Kirov, Russian Federation. These are boys and girls aged 9-10 years. Before the start of the study, the students underwent a medical examination and were admitted to physical

education classes at school, and informed consent to conduct a pedagogical experiment was obtained from each parent.

The exclusion criteria were unhealthy children with health abnormalities, and contraindications to optimal physical activity (problems with obesity, hypertension, joint problems, and other chronic diseases). These are mostly children of a special medical group. All children were differentiated into control and experimental groups (**Table 1**).

Table 1. Study participants

Participants	Control group		Experimental group	
	3 «A»	3 «B»	3 «C»	3 «D»
Class				
Total children in the class	33	31	32	33
Children who have received a doctor's admission and informed consent from their parents to conduct the study	30	30	30	30

One can see from **Table 1** that some children did not participate in the study for health reasons or their parents did not consent to their participation in the pedagogical study. At the same time, students could refuse to participate in the study at any time. Thus, a total of 120 schoolchildren took part in the pedagogical experiment. It should be noted that all procedures were carried out per the ethical standards of the Helsinki Declaration of 1964 and approved by the special Ethics Committee of the University.

Research procedure

The pedagogical experiment was conducted based on the general educational school 60 in the city of Kirov in Russia from January 10 to May 10, 2023. According to the school curriculum, physical education classes were held 2 times a week for 40 minutes in each class. During the study period, 34 physical education lessons were conducted in each class. All lessons were held according to the school schedule at the same time.

Children from the control group were engaged in the usual physical education program at school [32].

The purpose of school physical education is the formation of a versatile physically developed person who can actively use the values of physical culture to strengthen and maintain their health for a long time, optimize work activities,

and organize active recreation. The realization of the purpose of the curriculum correlates with the solution of the following educational tasks:

1. Health promotion, posture improvement, prevention of flat feet, promotion of harmonious physical, moral, and social development as well as successful learning;
2. Formation of initial self-regulation skills through physical culture;
3. Mastering the school of movements;
4. Development of coordination abilities (accuracy of reproduction and differentiation of spatial, temporal, and power parameters of movements, balance, rhythm, speed and accuracy of response to signals, coordination of movements, orientation in space) and conditioning abilities (speed, speed-power, endurance, and flexibility);
5. Formation of basic knowledge about personal hygiene, daily routine, and the impact of physical exercise on health, performance, and development of physical abilities;
6. Development of ideas about the main sports, equipment, and equipment, compliance with safety regulations during classes;
7. Formation of an attitude to preserve and strengthen health, healthy and safe lifestyle skills;
8. Introduction to independent physical exercises, outdoor games, their use in free time based on the formation of interests in certain types of motor activity and

- identification of predisposition to certain sports;
- Education of discipline, friendly attitude to comrades, honesty, responsiveness, courage during physical exercises, assistance in the development of mental processes (representation, memory, thinking, etc.) in the course of motor activity.

The children from the Experimental group were engaged in the same program, additionally, at the end of the main part of the lesson they performed a "Long run".

The structure of classes was the same, however, in the Experimental group the density of classes was higher, and classes were optimized. An example of such an activity is presented in **Table 2**.

Table 2. Example of a physical education lesson in the 3rd grade

Parts of the lesson	Lesson content	Time spent on the task (minutes)	
		Control group	Experimental group
The preparatory part of the lesson	Building students and declaring lesson tasks	2'	2'
	Drill exercises and walking	3'	2'
The main part of the lesson	Regular running and special running exercises	4'	3'
	A complex of general developing physical exercises, gymnastics, jumping rope	6'	5'
	Learning the long jump from a place with a push with two legs and trying out the exercise	10'	9'
	Mobile game "Calling numbers"	10'	9'
	Long-running	0'	6'
The final part of the lesson	Hitch	3'	2'
	Building and summarizing the lesson	2'	2'
Total time		40'	40'

Table 2 shows that the children from the Experimental Group performed all the same tasks as the children from the Control group, but slightly less in time, which allowed us to allocate part of the total duration of the lesson (40 minutes) of the time in the lesson to perform a "Long run" (6 minutes) at the end of the main part of the lesson.

Several important points should be noted:

- General endurance should be developed at the end of the main part of the lesson since at the beginning of the lesson a long run will tire students and their concentration for further work in the classroom. After prolonged work, even at the end of the lesson, a hitch is necessary [32].
- The basis for the development of general endurance is aerobic work, therefore, if at some point the student stopped running, switched to walking, caught his breath, and continued running again, then this is quite natural.
- The time range of 6 minutes was not chosen by chance, such aerobic and continuous work

is optimal for children 9-10 years old. If you do aerobic work for less time, then there will be no effect from it, and if more, then children may not be able to cope with it. At the same time, the fact that schoolchildren need to master the school curriculum in physical culture is important [22, 26, 32].

Control tests

All students who took part in the study at the beginning and the end of the pedagogical experiment passed 2 control tests:

- Overall endurance was assessed using the world-famous K. Cooper test [33]. As a rule, it takes place at a stadium or, as in our case, in an athletics arena with a length of 200 meters. In the middle and upper grades, the 12-minute K. Cooper test is used, however, in the lower grades, a time interval of 6 minutes is used. The meaning of the running test is very simple. It is necessary to run as much distance as possible in 6 minutes.
 - warm-up. Before the test, all the children had a warm-up lasting about 10-12

minutes to prepare them for the load. Intensive walking or relaxed running is used as a warm-up, as well as a set of regular exercises for all muscle groups, which necessarily includes several stretching exercises;

- 2) the Cooper test. After the warm-up, the test itself begins. 6 minutes are recorded on the stopwatch, during which the subjects must cover as much distance as possible. If the test participants move to a step, the stopwatch does not stop.
 - 3) the result. After 6 minutes, the distance that students overcome is measured in meters. At the end of the test, it is recommended to hold a hitch for 5 minutes, usually walking at a calm pace.
2. The attention indicators of schoolchildren were determined by the "Schulte Tables" test [34]. This is a fairly well-known test that is widely used in the psychodiagnostic of schoolchildren of different genders and ages. The test has a positive rating over time according to the criterion of validity and reliability.

Test for the development of attention of schoolchildren "Schulte Tables":

On the A4 sheet in front of the students, there is a table with numbers scattered in a different order

from 1 to 25. It is necessary to look at the center of the table to cover the entire table with a glance, and as quickly as possible cross out the numbers in ascending order from 1 to 25. The task execution time is 40 seconds. The result – the more numbers the student managed to cross out, the higher his result.

Statistical processing of research results

All the students' results were entered into an Excel spreadsheet.

The average values in the groups and the standard deviation of the indicators are determined.

In addition to the Excel program, a special program Biostatistica-2022 was used, which determined the Student's T-test indicators.

The level of statistical significance was established at $p < 0.05$.

RESULTS AND DISCUSSION

It should be noted that before the beginning of the pedagogical experiment, there were no statistically significant (reliable) differences between the studied indicators between all classes in both tests. After the end of the study, the results in each class changed differently (**Table 3**).

Table 3. Results of indicators of schoolchildren aged 9-10 in the Cooper test (6 minutes)

Group	Class	Before	After	%	p
Control	3 «A»	1088±41	1162±37	6.8	$p > 0.05$
	3 «B»	1114±43	1194±28	7.2	$p > 0.05$
Experimental	3 «C»	1018±32	1271±35	24.9	$p < 0.05$
	3 «D»	1104±37	1312±33	18.9	$p < 0.05$

Table 3 shows that the indicators in the K. Cooper test improved in all classes. However, in the Control group, the improvement in indicators was statistically insignificant. Schoolchildren from the 3rd "A" class improved their performance by 6.8% ($p > 0.05$), and children from the 3rd "B" class were able to improve their performance by 7.2% ($p > 0.05$). Such results may indicate the effectiveness of the usual physical education work program at school. At the same time, in the Experimental Group, where the children performed a "Long Run", the indicators

significantly improved. Schoolchildren from the 3rd "C" class improved their performance by 24.9% ($p < 0.05$), and children from the 3rd "D" class exceeded the initial data by 18.9% ($p < 0.05$). Such results may indicate the effectiveness of using Prolonged running in physical education classes at school for the development of endurance in schoolchildren 9-10 years old.

After the K. Cooper test, all students took a test that determines the level of attention development. The test results at the beginning

and the end of the study are presented in **Table 4**.

Table 4. The results of the indicators of schoolchildren aged 9-10 years in the "Schulte Tables" test

Group	Class	Before	After	%	p
Control	3 «A»	14.2±1.4	15.7±1.3	10.1	p>0.05
	3 «B»	13.9±1.7	15.1±1.5	8.6	p>0.05
Experimental	3 «C»	14.3±1.6	17.9±0.9	25.2	p<0.05
	3 «D»	13.8±1.5	18.1±1.1	31.2	p<0.05

Table 4 shows that the indicators in all classes also improved, but the improvement in each class was not the same. The positive dynamics can be explained by the natural increase in attention indicators in this age period. However, if we compare the indicators of children from the control and experimental groups, it can be assumed that prolonged running has a positive effect on the development of attention since the initial data improved by 25.2% in the 3rd «C» class and by 31.2% in the 3rd «D» class. In both classes, the improvements were statistically significant. At the same time, in the Control group in the 3rd «A» class, the data improved by 10.1%, and in the 3rd «B» class only by 8.6%.

If we are talking about the health of school-age children, then everyone pays close attention to physical education at school. Since it is physical education lessons that carry a huge value and a variety of physical, psychological, intellectual, and other skills and abilities. The school curriculum reflects a complex of important motor skills and qualities. One of the important physical qualities is the overall endurance of the student. It serves as a foundation for the healthy development of the student and an impulse for the formation of other physical qualities [14, 16, 21].

A review of the literature has shown that a sensitive (favorable) period is important for the development of certain physical qualities. For example, the authors note that the first favorable period for the development of general endurance is the age of 9-10 years for both boys and girls. It is important at this age to start regularly and purposefully developing the aerobic abilities of schoolchildren [28, 29]. The results of this study confirm the authors' opinion that the age of 9-10 years is sensitive for the development of general endurance since from the beginning to the end of the pedagogical experiment, endurance indicators improved in all classes.

The results of the study showed the effectiveness of the introduction of long-running in the process of physical education of children 9-10 years old. The data that the students showed at the beginning and the end of the study in the endurance test can be compared with the grades of the school curriculum (**Table 5**) [32].

Table 5. Cooper's test at school, the standard for 3rd grade

Evaluation	Distance (meters)
«5»	1200 m
«4»	1100 m
«3»	1000 m

If we consider the indicators of children from the control group in grade 3 "A", then before the study their average group level corresponded to the assessment of "3", and after the study - "4". In the 3rd "B" class, the children's indicators at the beginning of the experiment corresponded to the assessment of "4", and after the end of the study, the average group indicator was 1,194 m, which separated the students from the assessment of "5" by only 6 meters. At the same time, in a fairly short period of pedagogical research, children were able to improve endurance indicators in both classes (6.8% and 7.2%) by studying according to the standard physical education program.

It should be noted that the duration and content of lessons in all classes were the same and corresponded to the standard physical education program at school [32]. However, in the experimental group, the children managed to perform a six-minute run in the process by optimizing the lesson.

In the experimental group, students from the 3rd "C" class at the beginning of the study, the indicators corresponded to the assessment of "3", and after pedagogical influence, the average

indicator in the group was 1271 meters, which corresponds to the assessment of "5". In the 3rd «D» class, at the beginning of the experiment, the indicators corresponded to the rating of "4", and after the study - "5". Thus, over 4 months of targeted impact on the development of endurance of schoolchildren aged 9-10, the increase in indicators turned out to be quite significant in both classes (24.9% and 18.9%). Thus, the use of Prolonged running (6 minutes) in physical education classes at school as an additional means to the standard school curriculum is reliably effective for the development of general endurance of children aged 9-10 years ($p < 0.05$).

As for the psychodiagnostic of children aged 9-10 years, from the beginning to the end of the study, no deterioration in attention indicators was recorded in all classes. The well-known psychodiagnostic test "Schulte Tables" has been repeatedly positively evaluated over time for its validity and reliability. **Table 6** shows the standards that show the level of attention development of schoolchildren aged 9-10 years [34].

Table 6. Standards of attention indicators for schoolchildren aged 9-10 years on the "Schulte Tables" test

Number of digits	Result
1-5	very low level of attention development
6-10	low level of attention development
11-15	An average level of attention development
16-20	high level of attention development
21-25	very high level of attention development

Before the beginning of the pedagogical experiment, the average group attention indicators of children in all classes were at the "average" level. After the end of the study, the data in all classes improved to a "high" level of attention development. In the Control group, this is 10.1% and 8.6%.

Such results may indicate that physical culture and physical exercises have a positive effect on some mental processes. This assumption is confirmed by the studies of many authors who have determined the positive dynamics of mental processes under the influence of the physical activity of schoolchildren [30, 31, 35, 36].

Also, the literature often cites studies that reflect the relationship between physical activity and the cognitive abilities of schoolchildren. The authors emphasize that physical activity has a positive effect on cognitive processes [37-40] and even the creative abilities of students [41]. The increase in attention indicators in the Experimental Group was 25.2% and 31.2%, it turned out to be significant and reliable ($p < 0.05$). This allows us to assume that Prolonged running had a qualitative, reliable, and positive impact on the development of attention of schoolchildren aged 9-10 years.

Thus, the results that were obtained after the end of the pedagogical experiment allow us to say that the scientific hypothesis was solved, and the purpose of the study was achieved.

Likely, the time of 6 minutes for the development of endurance in physical education classes at school was optimal. If more time had been allocated to running for a long time, then schoolchildren would have become very tired physically and mentally, and also would not have had time to complete the school physical education program, perhaps they would have lost interest in physical exercises. A lower load also does not give efficiency, since endurance is an activity carried out for a long time and the body's ability to resist fatigue [22, 23, 27]. However, future research may focus on the dosage of Prolonged Running.

Of course, the design of this study could be improved. Perhaps the effect of Prolonged running on the endurance and attention of schoolchildren would be greater if schoolchildren were engaged in additional activities, for example, 3 times a week. Such a hypothesis requires additional research and possible adjustments to the standard physical education program at school. Also in the future, you can study the effect of endurance on other physical qualities, such as strength, speed, agility, and others. Also, in the future, it is possible to study the effect of endurance (aerobic abilities) on some mental, cognitive, and maybe creative abilities of schoolchildren.

CONCLUSION

If physical education lessons at school, a long run for 6 minutes is performed at the end of the main part of the lesson, then the endurance indicators

of schoolchildren aged 9-10 years will significantly improve. Similarly, mental processes in younger schoolchildren, such as attention, will also improve significantly. This pedagogical study is an example of how a simple physical exercise "Long-running" can be useful for the development of aerobic abilities and mental processes of younger schoolchildren.

ACKNOWLEDGMENTS: The author thanks all participants of the study.

CONFLICT OF INTEREST: None

FINANCIAL SUPPORT: None

ETHICS STATEMENT: All procedures met the ethical standards of the 1964 Declaration of Helsinki. Informed consent was obtained from all parents of the children included in the study.

REFERENCES

- Patel S, Patel H, Nai P, Patel M, Charel T, Panjavani S, et al. Knowledge and Attitude regarding Health Awareness among Primary School Children of Government School at Kheda district. *J Pharm Negat Res.* 2022;13(9):1466-72. doi:10.47750/pnr.2022.13.S09.177
- Seflova I. P05-11 Motor Competence Assessment of Czech School-Age Children: Lack of Movement or Developmental Coordination Disorder? *Eur J Public Health.* 2022;32(2):ckac095-078. doi:10.1093/eurpub/ckac095.078
- Sembrat S, Gordienko O. Features of the formation of the structure of physical fitness of primary school children and the development of its main components. *Sci J Natl Pedagog Dragomanov Univ.* 2022;6(151):119-23. doi:10.31392/NPU-nc.series15.2022.6(151).26
- Afaa T, Seneadza NAH, Ameyaw E, Rodrigues OP. Blood pressure profile, prevalence of hypertension and associated familial factors in school children in Accra, Ghana. *Niger J Clin Pract.* 2022;25(4):386. doi:10.4103/njcp.njcp_1832_21
- Saemoh F, Jeadeng M, Suwankhong D, Chinnasee C, Md Nadzalan A. The effectiveness of folk physical activity and food education programme on body mass, nutrition knowledge and consumption behaviour among overweight primary school children in Southern Thailand. *Pedagogy Phys Cult Sports.* 2022;26(6):391-8. doi:10.15561/26649837.2022.0605
- Durairaj K, Felicia CA. Screen time usage with sleep pattern and obesity among school children during. *Int J Curr Res.* 2022;14(6):21718-24.
- Paulose A, Aluckal E. Prevalence of Overweight and Obesity in School Children Aged 5-12 Years of Kottayam, India. *Int J Sci Healthcare Res.* 2022;7(3):410-5. doi:10.52403/ijshr.20220760
- Yulianti A, Fitriana F, Falahiah H. Impact of Physical Activity on the Balance and Fitness of Elementary School Children During the Covid-19 Pandemic. *Int Conf Med Health.* 2022;372-6. doi:10.18502/kme.v2i3.11887
- Moawd SA, Elsayed SH, Abdelbasset WK, Nambi G, Verma A. Impact of different physical activity levels on academic performance of PSAU medical female students. *Arch Pharm Pract.* 2020;1:100-4.
- Akter S, Bristy TA. Lifestyle factors and risk of obesity among the school children in Khulna city. *Khulna Univ Stud.* 2022;19(2):235-44. doi:10.53808/KUS.2022.19.02.2147-ss
- Le GB, Dinh DX. Prevalence and associated factors of overweight and obesity among primary school children: a cross-sectional study in Thanhhoa City, Vietnam. *BMJ Open.* 2022;12:e058504. doi:10.1136/bmjopen-2021-058504
- Slagle M, Brown H, Egan C. Increasing Physical Education and Physical Activity Time in School: Strategies that Worked. *J Phys Sport Educ.* 2022;35(6):25-8. doi:10.1080/08924562.2022.2120140
- Ahmed N, Sarkar A. Enhancement teaching and learning process through the application of ICT in physical education. *Indian J Yoga Exerc Sport Sci Phys Educ.* 2022;7(1-2):20-8. doi:10.58914/ijyesspe.2022-7.1-2.5
- Ospankulov YE, Nurgaliyeva S, Kunai S, Baigaliev AM, Kaldyanovna KR. Using physical education lessons to develop the autonomy of primary school children.

- Cypriot J Educ Sci. 2022;17(2):601-14. doi:10.18844/cjes.v17i2.6856
15. Gao M. Should Secondary Schools Increase or Decrease the Time of Physical Education? *Educ Res Rev.* 2022;3(4):43. doi:10.32629/rerr.v3i4.565
16. Jalolov Sh, Abdiolimova I. Methods of teaching physical education in elementary school. *Acad Int Multidiscip Res J.* 2022;12(5):758-63. doi:10.5958/2249-7137.2022.00487.6
17. Polivka T, Fialova L. Attitudes of Primary School Pupils to Physical Education. *Educ Soc Hum Stud.* 2022;3(1):p41. doi:10.22158/eshs.v3n1p41
18. Bae MH. The Effect of a Virtual Reality-Based Physical Education Program on Physical Fitness among Elementary School Students. *Iran J Public Health.* 2023;52(2):371-80. doi:10.18502/ijph.v52i2.11890
19. Tao D, Gao Y, Li F, Liang W, Jiao J, Huang W, et al. Physical Education Provision in Schools. A Role for Dance. *Phys Act Health.* 2022;6(1):38-41. doi:10.5334/paah.137
20. Cruickshank V, Pill S, Mainsbridge C. The curriculum took a back seat to huff and puff: Teaching high school health and physical education during Covid-19. *Eur Phys Educ Rev.* 2022;28(4):837-51. doi:10.1177/1356336X221086366
21. Dmytrenko SM, Herasymyshyn VP, Khoronzhevskiy LY, Chuiko YA. Purposeful development of motor abilities of junior schoolchildren by means of outdoor games. *Sci J NPDU Phys cult sports.* 2021;3(133):39-42. doi:10.31392/NPU-nc.series15.2021.3(133).07
22. Agudelo Velásquez CA, Zagalaz Sánchez ML, Zurita Ortega F. Analysis of Strength and Endurance Values in Schoolchildren Aged 7 to 10 Years in Tolú, Colombia. *Sustainability.* 2019;11(16):4433. doi:10.3390/su11164433
23. Unierzyski, P, Bogusławski, M. Endurance development for 10-12 and under tennis players. *ITF Coach Sport Sci Rev.* 2016;24(69):22-4. doi:10.52383/itfcoaching.v24i69.191
24. Smirnova LM, Kharissova NM, Tikhomirova YS. The development of endurance in high school skiing lessons. *Int J Complement Alt Med.* 2022;15(1):41-5. doi:10.15406/ijcam.2022.15.00588
25. Kumar R, Zemkova E. The Effect of 12-Week Core Strengthening and Weight Training on Muscle Strength, Endurance and Flexibility in School-Aged Athletes. *Appl Sci.* 2022;12(24):12550. doi:10.3390/app122412550
26. Kozina ZhL, Koval KA, Vasilyev YuK. Development of endurance of young athletes of 12-13 years in cycling in the initial stage of training. *Health Sport Rehabil.* 2019;5(1):47. doi:10.34142/HSR.2019.05.01.05
27. Ge Zh, Lv X, Xue Y. Correlation between aerobic training and physical endurance in basketball players. *Rev Bras Med Esporte.* 2023;29(4). doi:10.1590/1517-8692202329012022_0342
28. Fuentes-Barría H, Aguilera-Eguía R, González-Wong C. Habilidades motoras, cualidades físicas y períodos sensibles en el desarrollo escolar. *Andes Pediatr.* 2021;92(6):983-4. doi:10.32641/andespediatr.v92i6.4101
29. Van Hooren B, De Ste Croix M. Sensitive Periods to Train General Motor Abilities in Children and Adolescents: Do They Exist? A Critical Appraisal. *Strength Cond J.* 2020;42(6):7-14. doi:10.1519/SSC.0000000000000545
30. Tomporowski PD, Lambourne K, Okumura MS. Physical activity interventions and children's mental function: an introduction and overview. *Prev Med.* 2011;52(Suppl 1):S3-9. doi:10.1016/j.ypmed.2011.01.028
31. Jia N, Zhang X, Wang X, Dong X, Zhou Y, Ding M. The Effects of Diverse Exercise on Cognition and Mental Health of Children Aged 5-6 Years: A Controlled Trial. *Front Psychol.* 2021;12:759351. doi:10.3389/fpsyg.2021.759351
32. Lyakh VI. Working program on physical culture at school for children of grades 1-4. *Teacher: Moscow, Russia.* 2020:266.
33. Li AM, Yin J, Yu CCW, Tsang T, So HK, Wong E, et al. The six-minute walk test in healthy children: reliability and validity. *Eur Respir J.* 2005;25(6):1057-60. doi:10.1183/09031936.05.00134904

34. Raygorodsky DYa. Practical psychodiagnostics. Methods and tests. Bahrah-M: Moscow, Russia. 2022:672.
35. Stuart B, Asare M. Physical activity and mental health in children and adolescents: A review of reviews. *Br J Sports Med.* 2011;45(11):886-95.
36. Mahindru A, Patil P, Agrawal V. Role of Physical Activity on Mental Health and Well-Being: A Review. *Cureus.* 2023;15(1):e33475. doi:10.7759/cureus.33475
37. Sadeghi B, Tojari F, Entezari Z, Balali M. The effect of watching models of teaching physical activity on cognitive-motor components and physical competence among children. *Shenakht J Psychol Psychiatry.* 2022;9(4):39-52. doi:10.32598/shenakht.9.4.39
38. Gao Z, Chen S, Sun H, Wen X, Xiang P. Physical Activity in Children's Health and Cognition. *BioMed Res Int.* 2018;2018:8542403. doi:10.1155/2018/8542403
39. Padulo J, Bragazzi NL, De Giorgio A, Grgantov Z, Prato S, Ardigò LP. The Effect of Physical Activity on Cognitive Performance in an Italian Elementary School: Insights From a Pilot Study Using Structural Equation Modeling. *Front Physiol.* 2019;10:202. doi:10.3389/fphys.2019.00202
40. Bidzan-Bluma I, Lipowska M. Physical Activity and Cognitive Functioning of Children: A Systematic Review. *Int J Environ Res Public Health.* 2018;15(4):800. doi:10.3390/ijerph15040800
41. Piya-Amornphan N, Santiworakul A, Cetthakrikul S, Srirug P. Physical activity and creativity of children and youths. *BMC Pediatr.* 2020;20(118). doi:10.1186/s12887-020-2017-2